
ANTEMORTEM DENTAL RECORD

NAME: FROST, JACK, R SSN: 333-3333 RANK: LT, USN

SEX: M RACE: C AGE: 31 XRAY TYPE & DATE: B/W 10/97 PAND 01/96

EXAMINERS: A.B. SMITH, CAPT, DC, USN
P.T. BOATE, CDR, DC, USN
RECORD SUPPLIED BY: NDC PENSACOLA FL

RESTORATIONS & MISSING TEETH



ΑМ	AMALGAM		CF	CROWN FULL
GI	GOLD INLAY		CP	CROWN PARTIAL
GF	GOLD FOIL		CV	CROWN VENEER
SS	ANY OTHER I	METAL REST	FP	FIXED PARTIAL
CO	COMPOSITE	RESIN	RP	REMOVABLE PARTIAL
JM	JAW FRAGME	NT MISSING	CD	COMPETE DENTURE
TA	TRAUMATIC A	VULSION	M	MESIAL
FΧ	FRACTURED	CROWN	D	DISTAL
RT	ROOT TIP		0	OCCLUSAL
PN	PRESENT NO	T RESTORED	ı	INCISAL
RO	ROTATED		F	FACIAL
RF	ROOT CANAL	. FILLING	L	LINGUAL
AP	APICOECTON	NY	С	CARIES
IR	INTERMEDIA [*]	TE REST	U	UNERUPTED
СТ	CROWN TEM	PORARY	Х	EXTRACTED
	REMARKS:	BILATERAL	- MANE	IBULAR TORI

REMARKS:	BILATERAL	MANDIBULAR	70R1

DTV2f016

DESCRIPTION/COMPUTER CODES

1. U 2. OL-AM, F-AM 3. MO-AM. DO-AM 4. PN 5. O.O-AM 6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 31. MOFL-GI	5200Kiii 110.0000iiii 012K 00520
3. MO-AM. DO-AM 4. PN 5. O.O-AM 6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 30. RP-X 31. PN 31. PN 32. RP-X 33. RP-X 34. RP-X	, U
3. MO-AM. DO-AM 4. PN 5. O.O-AM 6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 30. RP-X 31. PN 31. PN 32. RP-X 33. RP-X 34. RP-X	OL-AM, F-AM
4. PN 5. O.O-AM 6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 30. RP-X	MO-AM DO-AM
5. O.O-AM 6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. RP-X 30. RP-X 31. RP-X 31. RP-X	
6. F-CO 7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 31. RP-X	4
7. M-CO 8. L-IR, RF 9. CV 10. MI-CO 11. D-AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 30. RP-X	
8. L-IR, RF 9. CV 10. MI-CO 11. D- AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. RP-X 30. RP-X 31. RP-X	
9. <u>CV</u> 10. <u>MI-CO</u> 11. <u>D-AM</u> 12. <u>PN</u> 13. <u>FP-CV</u> , <u>RF-AP</u> 14. <u>FP-X</u> 15. <u>FP-CF</u> 16. <u>X</u> 17. <u>U</u> 18. <u>MODL-C</u> 19. <u>MOD-AM</u> 20. <u>MO-AM</u> 21. <u>DO-AM</u> 22. <u>ML-CO</u> 23. <u>PN</u> 24. <u>CT-RF</u> 25. <u>PN</u> 26. <u>PN</u> 27. <u>PN</u> 28. <u>RP-X</u> 30. <u>RP-X</u> RP-X	7. M - CO
10. MI-CO 11. D- AM 12. PN 13. FP-CV, RF-AP 14. FP- X 15. FP- CF 16. X 17. U 18. MODL - C 19. MOD- AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP- X 30. RP- X 31. RP- X	8. L-IR, RF
11. D- AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 21. RP-X	9. <u>CV</u>
11. D- AM 12. PN 13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 21. RP-X	10 MI-CO
13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 21. RP-X	
13. FP-CV, RF-AP 14. FP-X 15. FP-CF 16. X 17. U 18. MODL-C 19. MOD-AM 20. MO-AM 21. DO-AM 22. ML-CO 23. PN 24. CT-RF 25. PN 26. PN 27. PN 28. DOFL-GI 29. RP-X 30. RP-X 21. RP-X	12 PN
16. X 17. U 18. MODL - C 19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 20. MOD - AM 20. MOD - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. RP - X 29. RP - X	FP-CV . RF-AP
16. X 17. U 18. MODL - C 19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 20. MOD - AM 20. MOD - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. RP - X 29. RP - X	13.77 ST
16. X 17. U 18. MODL - C 19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 20. MOD - AM 20. MOD - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. RP - X 29. RP - X	FP-CF
17. U 18. MODL - C 19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X RP - X RP - X	15. Y
19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 30. RP - X	16
19. MOD - AM 20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 30. RP - X	17.
20. MO - AM 21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - G I 29. RP - X 30. RP - X 41. RP - X	
21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 30. RP - X	
21. DO - AM 22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - GI 29. RP - X 30. RP - X	20. MO - AM
22. ML - CO 23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - G I 29. RP - X 30. RP - X 41. RP - X	21. DO - AM
23. PN 24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - G I 29. RP - X 30. RP - X 41. RP - X	22 ML - CO
24. CT - RF 25. PN 26. PN 27. PN 28. DOFL - G I 29. RP - X 30. RP - X	23 PN
25. PN 26. PN 27. PN 28. DOFL - GI 29. RP-X 30. RP-X	24 CT - RF
26. PN 27. PN 28. DOFL - GI 29. RP - X 30. RP - X	ar PN
27. PN 28. DOFL - G I 29. RP - X 30. RP - X 21. RP - X	PN
28. DOFL - G I 29. RP - X 30. RP - X	26. PN
29. RP-X 30. RP-X	27. DOGL = G1
30. RP - X	28.
24 KY-X	29. Kr - X
24 KY-X	30. KP-X
as MOFL-GI	24 KP-X
32	32. MOFL-GI

Figure 10-16.—Completed antemortem dental record form.





Figure 10-17.—Reviewing antemortem dental records.

numerical order on table by gender. Postmortem records of children may also be individually managed.

To provide quality control, provide the team leader of the forensic dentistry section the antemortem and postmortem dental records of potential positive ID established by the staff. The leader must reconstruct the positive dental ID. A dental identification form that summarizes the ID data can be completed at this time. Figure 10-21 shows an example of a completed dental ID summary sheet.

This form is a tool in the decision-making and documentation process. It is used to provide rapid answers to questions when the team leader of the forensic dentistry section meets with the Identification Center chief at which time evidence regarding each case is presented. Only after all sections have



DTV2f018

Figure 10-18.—Computer Assisted Postmortem Identification (CAPMI).

presented their evidence and all inconsistencies have been explained or addressed should the Identification Center chief sign the case out as a positive ID. After the case has been signed out as a positive ID, the antemortem and postmortem dental records and associated evidence should be combined with the summary sheet into a single completed file. The antemortem composite dental record should be placed in the completed file only if the full dentition was present with the remains or if all dental/oral fragments have been recovered. If this is not the case and an additional oral fragment is recovered, the postmortem fragment may go unidentified since the necessary antemortem dental record was placed in the completed file. This mistake is made in almost every disaster. Please avoid it! In the consolidation process, the antemortem and postmortem dental radiographs that provided the conclusive evidence of the positive dental

identification should be photographed. These photographs or slides are indispensable for record keeping purposes and provide a superior method of displaying the evidence in court.

EQUIPMENT, SUPPLIES, AND FACILITIES

The following equipment, supplies, and facilities as listed in Tables 10-1, 10-2, and 10-3 are recommended for use in forensic dental operations. The items mentioned below are only a recommended list. Most of the equipment and supplies can be maintained in a medium-size tackle box and canvas bags for immediate availability and easy transport to the ID site. Your command should plan to add or subtract items or change quantities according to your local requirements.




Figure 10-19.—Postmortem dental records.




Figure 10-20.—Reviewing radiographs.

DENTAL IDENTIFICATION SUMMARY REPORT

		AGE: 31 DATE: 12DEC97	SSN:	JMBER A-97-3 3-3333 PENSACOLA, FL
	NTEMORTEM AND POSTMOR I TEETH NUMBER (DESCRIBE		ORDS AND RADIC	OGRAPHS REVEAL
1	. g _	17	25	
2 OL-AM. F-AM	10	18		
3	11	19 -	27	PN
4 PN	12 PN	20	28	DOFL-GI
5O,O-AM	13 FP-CV, RF-AP	21		RP-X
6 -	14 <u>FP-X</u>	22 -		RP-X
7 -	15 <u>FP-CF</u>	23		RP-X
	16 <u>X</u>	24		MOFL-GI
	L MANDIBULAR TORI NOTED. 18 AND 19 TREATED BY CI	VILIAN DENTIST	NOVEMBER 1997.	
FINDINGS (CIRCLE ONE SIGNATURE OF EXAMIN FINDINGS CONFIRMED	IERS: A.B. Smit		MITH UNIDEN	hairman

Figure 10-21.—Dental identification summary sheet.

Table 10-1.—Equipment for up to 50 casualties

DESCRIPTION	QUANTITY
50 KVP Endo X-ray unit, portable, self-contained	1
Portable lead screens	4
X-ray badges	9
X-ray film processor, with daylight loader	1
Fiberoptic light	1
Surgical saw (autopsy)	1
Headlamps	2
X-ray view boxes	3
Slide duplicator	1
Extension cords, 50 ft	3
CAPMI software and computer	1
35mm camera	1
Camera with self-developing film	1
Security badges	15
File cabinets, 4 drawer	1
Tables or gurney carts	As needed

Table 10-2.—Forensic Dentistry Kit (Supplies)		
DESCRIPTION	QUANTITY	
35mm film, 36 exposure	10 rolls	
Paper pads	1 0	
Identification forms: Postmortem, Antemortem, and Summary reports	100 each	
Tags with string or wire	125	
Manila envelopes for case records	100	
Masking tape	2 rolls	
Stapler with staples	2	
Large felt tip markers	1 2	
Felt tip pens (black ink)	1 2	
Plastic denture bags	1 box LG	
	1 box SM	
Pencils	2 boxes	
Clip boards	1 0	
Paper cups	1 box	

Table 10-2.—Forensic Dentistry Kit (Supplies)—Continued

DESCRIPTION	QUANTITY
Work gloves, leather	4 pairs
Scrub suits	20 pairs
Surgical gowns, disposable	3 0
Surgical gloves, sizes 7 1/2 & 8	3 boxes each
Surgical mask	1 box
Dental X-ray film, double exposure	10 boxes
Chemicals for film processing	as needed
Self-developing film	5 rolls
Magnifying glass	1
Loops	2
Sodium hypochlorite	1 gallon
Safety glasses	5
Flashlights	6
Handsaw	1
Straight and curved retractors	1 set
Scaple handles	4
Scaple #10, #15, #20	1 box each
Large scissors, surgical	2
Small scissors, surgical	2
Large hemostats	4
Mouth props, large and small	1 each
Tongue blades	1 box
Cotton applicators	1 box
Mouth mirrors	1 2
Explorers	1 2
Periodontal scalers	3
Cutting pliers	1
Straight pliers	1
Straight chisel	1
Mallet	1
Millimeter rule	3
Spatula, #7 wax	1
Disclosing solution	2 bottles
Hydrogen peroxide solution	1/2 gallon

Table 10-2.—Forensic Dentistry Kit (Supplies)—Continued

DESCRIPTION	QUANTITY
4 x 4 sponges	10 boxes
Toothbrushes	20
Computer terminal paper	1 box
Ribbon for terminal printer	1
Occlusal X-ray film	1 box
Soap, antibacterial	6 bottles
Towels	10
Scrub brushes	5
Rubber aprons	10
Trash can liners	1 box

Table 10-3.—Office Facilities

Office facilities:	
Room for antemortem records	
Room for postmortem records	
Postmortem exam area	
Access to:	
Copy machine/computer	
Watts/DSN telephone lines	
Refrigeration	